

What laminitis matters for pony feeding

Laminitis alters the way you approach **horse feed**. For **laminitic ponies**, the main aim is not extra condition or performance; it is limiting triggers that can increase inflammation and hoof pain. The main nutritional concern is the level of **non-structural carbohydrates** in the diet, especially **sugar and starch**. When these rise too high, some ponies are more likely to have a metabolic response that increases laminitis risk.

This is why feeding for laminitis is usually centered on a **forage-based diet**, careful portion control, and a close look at the **sugar content** and **starch level** of every feed. A pony with a history of laminitis may also have **insulin resistance**, **equine metabolic syndrome**, or **PPID**, all of which can affect what is safe to feed.

Bifid UK

+44 800 422 0888

sales@bifid.co.uk

<https://bifid.com/uk/>

In practical terms, safe feeding means choosing ingredients that support **weight management** without pushing calorie intake or starch too high. It also means paying attention to **pasture management**, because grass can contribute significant sugar even if the bucket feed looks sensible. A smart plan blends the right **forage**, a suitable supplement, and a feeding routine that keeps the **daily ration** steady.

Most suitable horse feed selections for laminitic ponies

The most suitable **horse feed** for a laminitic pony is usually one that is clearly labelled as a **low sugar feed** or **low starch feed**, with a **high fibre feed** profile. These options are designed to provide nutrients with a milder impact on blood sugar and insulin response. They are often the top choice when you need a straightforward balanced feeding plan rather than relying on forage alone.

Look for feeds based on **digestible fibre** rather than cereal content. These fibre-led feeds help support gut health and can be easier to fit into a safe feeding plan. A good product should have a sensible **nutrient profile**, modest energy, and clear **analytical constituents** on the **feed label**. If the label shows low sugar and starch, and the ingredients are fibre-led, it is usually a better option for safe feeding.

Many owners use a simple combination of soaked hay, a fibre mash, and a mineral **balancer**. In some cases, a **complete horse feed** can also work if it is genuinely low in sugar and starch and is designed for ponies with weight issues or laminitis risk. The best choice depends on body condition, work level, and any veterinary restrictions.

Examples of safer horse feed styles include:

- **High fibre feed** with very low starch
- **Low sugar feed** made from chopped fibre, beet pulp, and added vitamins and minerals
- Unmolassed fibre chaffs used in small amounts
- A **balancer** paired with forage for ponies needing nutrients without extra bulk

For many laminitic ponies, the safest approach is not the “richest” feed but the most straightforward one that supports health without excess calories. That is especially true where the pony is an easy keeper and does not need more energy.

Ingredients and feeds to steer clear of

When managing laminitis, some components are best kept out of the bucket entirely. The most obvious one is **molasses**, which can increase the sugar load and make a feed less suitable for ponies prone to laminitis. Molassed products may seem tasty, but they can undermine a carefully designed safe feeding plan.

Cereal grains are another important issue. Oats, barley, maize, and similar ingredients can push the starch level too high for sensitive ponies. That is why **high-starch feeds** are generally unsuitable for laminitic ponies unless a specialist has given a very specific reason to use them.

Be cautious with feeds marketed as highly palatable or conditioning. A **conditioned horse feed** is often made to support weight gain or high output, which is the opposite of what a laminitic pony usually needs. These feeds may contain extra oil, starch, or sugar to increase calorie intake, and they are often a poor match for laminitis management.

It is also wise to be alert to ingredient combinations that hide the real energy density of the ration. A feed can appear fibre-led but still contain enough cereal by-products or added sweeteners to raise the **sugar content**. Always check the label, and do not rely on front-of-bag claims alone.

How to read a horse feeding chart

A **horse feeding chart** is valuable, but only if you view it in the context of laminitis risk. A feeding chart gives a guide for the **daily ration**, yet it cannot substitute for judgment about body condition, work level, and **forage intake**. For a laminitic pony, the chart should guide you towards controlled portions rather than generous servings.

Good **horse feeding rules** start with the idea that feed is only part of the ration. Forage usually provides most of the diet, while bucket feed contributes to vitamins, minerals, and particular nutritional gaps. If the chart suggests more than your pony needs, reduce the bucket feed and focus on appropriate forage.

When reading the chart, focus on:

- The recommended amount per 100 kg bodyweight
- Whether the feed is designed for maintenance, weight gain, or performance
- The declared sugar and starch values
- How much forage the feeding plan uses
- Whether the ration remains balanced at the lower end of the recommended amount

For laminitic ponies, a chart should never tempt you into overfeeding. In many cases, the safest daily ration is limited, straightforward, and backed by plenty of low-sugar forage.

How to use a horse feed calculator for British horses

A **horse feed calculator uk** calculator can help estimate a sensible starting ration, but it must be used cautiously for laminitis cases. These calculators usually ask for **bodyweight**, **work level**, and sometimes the type and quality of forage. That information is useful because it helps shape a ration that meets energy needs without overfeeding.

For a laminitic pony, the most important inputs are often bodyweight and current condition. If the pony is overweight, the calculator should support a lower-energy plan. If the pony is underweight but at risk of laminitis,

the result may still ***Click to find out more*** need adjustment to avoid raising starch too quickly. That is where **forage analysis** becomes helpful, because hay or haylage can vary widely in nutrient content.

Use the calculator as a reference, not a final answer. It can help you set up a safer starting point, but you still need to review the ration against your pony's **body condition score**, current workload, and any medical issues. If the calculator suggests a feed with more starch than is appropriate, switch to a lower-risk option even if the numbers seem precise on paper.

In short, the best calculator output is one that keeps the pony on a managed, fibre-led plan with enough nutrients and no unnecessary calories.

Types of horse feed outlined

There are numerous **types of horse feed**, but not every one are ideal for laminitic ponies. Learning about the main categories helps you select with certainty and reduce the risk of accidental overfeeding.

Chaff is a shredded fibre feed, often used to slow eating and give texture to the bucket. It can be beneficial for laminitic ponies if it is unmolassed and low in starch. Some chaffs are mainly fibre with extra minerals, while others are similar to a complete conditioning product, so label reading makes a difference.

Beet pulp is another common option. When unmolassed and prepared correctly, it supplies digestible fibre with a reduced starch impact than cereal-based feeds. It can be a useful part of a balanced ration, especially when you want to increase fibre without increasing sugar and starch too much.

A **balancer** is a concentrated source of vitamins, minerals, and amino acids. It is commonly very useful for laminitic ponies because it delivers nutritional support in a small amount. When the diet is mostly forage, a balancer can help create a **balanced ration** without needing large feed volumes.

Some other feed types may include cubes, mixes, and textured feeds. These are not automatically unsafe, but they are more prone to include cereal grains or extra molasses, which makes them not as suitable for laminitis-prone ponies.

Is complete horse feed safe for laminitic ponies?

A **complete horse feed** can be safe for some laminitic ponies, but only if the product has the correct formulation. The word "complete" does not automatically mean suitable for laminitis control. You still need to check the sugar and starch levels, the ingredient list, and whether the feed is built around **digestible fibre** rather than cereals.

One benefit of a fully balanced feed is ease. It may provide **vitamins and minerals**, fiber, and a carefully managed energy level in one ration. That can support **laminitis care** when the pony needs help meeting nutritional requirements without eating large quantities of bucket feed.

The risk is that some complete rations are intended for broader use and may contain more starch than ideal. For a laminitic pony, even a complete feed should be judged by its practical effect, not its marketing. If the feed is low in sugar and starch, fed in a small amount, and combined with suitable forage, it may fit the plan well. If not, a balancer and fiber-based forage may be safer.

How much does horse feed cost and what should you budget?

Horse feed cost can vary a lot, notably among fibre products, balancers, and specialist low-sugar feeds. Cost is important, but safety comes first. A lower-cost feed with high sugar or starch can be a false economy if it raises laminitis risk.

When evaluating products from different **horse feed companies**, review the **bag price** and the amount you really need to feed each day. Some reduced-calorie balancers may seem expensive per bag, but the **daily feeding cost** can be reasonable because the serving size is small. By contrast, a larger feed may look cheaper but require larger amounts, which can push up the real cost.

Allowing for costs for a laminitic pony should include:

- Forage, such as hay or suitably managed haylage
- A fitting low-sugar or low-starch bucket feed
- A balancer where needed
- Any equipment for soaking, weighing, or storage
- Veterinary or nutrition advice where required

The lowest-cost feed is not always the safest option. In laminitis management, cost must be balanced with careful nutrition and dependable ingredient quality.

Horse feeding rules that are most important for ponies with laminitis

The **10 rules of feeding horses** are often simplified, but for laminitic ponies a few principles matter most. The first is that feed should support health without adding to excess calorie intake. The second is that management must be predictable. Ponies with a laminitis history often do best with a consistent schedule and careful portion control.

Strong **horse feeding rules** for this situation include:

- Keep meals small and use **small frequent meals** if bucket feed is needed
- Make forage the foundation of the diet
- Use a **consistent routine** for feeding times and portions
- Avoid sudden diet changes
- Measure everything rather than guessing
- Match feed to body weight, condition, and workload

These rules help reduce spikes in sugar and starch exposure. They also make it easier to track what is helping and what is not. For a pony with laminitis history, routine is part of safe feeding, not just convenience.

Choosing a feed brand: what to look for

Brand choice matters because not every product with a “healthy” image is suitable for laminitis. When comparing options such as **spillers horse feed** or products from other **horse feed companies**, read beyond the branding and focus on the **analytical constituents**.

The most useful details are the sugar and starch figures, fibre level, and whether the feed supports a **low sugar starch** approach. If the label is vague, ask for more information. Good manufacturers should be able to explain the nutrient profile clearly, including how the feed fits into a safe ration for ponies prone to laminitis.

Useful brand-check questions include:

- Is this feed genuinely low in sugar and starch?
- Does it rely on fibre rather than cereal grains?
- Is it appropriate for a pony at risk of insulin resistance?
- Can it be fed in a small amount without losing nutritional balance?

Brand trust should come from transparency, not from catchy packaging. If a product cannot explain its role in safe feeding, it may not deserve a place in a laminitis plan.

Horse feed guidance for beginners

If you are new to pony care, **horse feed for beginners** should always start with **forage as the priority**. That means hay or another suitable forage forms the base of the diet, and bucket feed is added only to meet a real need. For a laminitic pony, this approach is even more important because overcomplication can create avoidable risk.

Commence with simple choices and **add gradually**. Sudden changes can upset digestion and make it harder to judge how the pony is responding. If you are changing hay, switching feeds, or adding a balancer, take time and monitor the pony closely.

Good **horse feed advice uk** usually emphasises weighing feed, checking [overweight horse feed](#) condition regularly, and seeking **vet advice** when laminitis history is involved. A small, safe ration is often better than a complicated one. If you are unsure, keep the plan simple until a professional has reviewed it.

Simple horse feed mix recipe ideas to avoid

A homemade **horse feed mix recipe** may seem attractive, but laminitic ponies are not ideal candidates for improvisation. A **home-mixed feed** can quickly become an **out-of-balance ration** if you do not understand the supplement ratio, mineral needs, and nutrient interactions.

The biggest risk is building a mixture around palatable ingredients without checking the final sugar, starch, and calorie content. For example, combining chopped fibre, sweet feed, and extra cereals may look harmless in small amounts but can still push the ration in the wrong direction.

Safer practice is to avoid guessing and use a feed that has already been formulated and tested. If you do use home mixing, make sure the final plan is reviewed so the **supplement ratio** is correct and the ration remains balanced. For laminitic ponies, “simple” should not mean “unplanned”.

Quick quiz: what is the right feed for my horse?

If you are asking, **what should i feed my horse quiz** style, use these quick checks to decide whether a ration is suitable for a laminitic pony:

- What is the pony’s **body condition score**?
- Is the pony at obvious **laminitis risk**?
- Can the diet be based mainly on forage?
- Does the bucket feed stay low in sugar and starch?
- Is a **forage-only diet** enough, or is a balancer needed?

If the pony is too heavy, inactive, or has a past record of laminitis, the answer is often a forage-first plan with limited bucket feed. If additional nutrients are needed, a supplement or low-sugar fibre feed is usually preferable to a rich feed or cereal-based product.

When to ask a vet or equine nutritionist

Some cases need specialist help. Ask an **equine nutritionist** or seek **veterinary advice** if the pony has repeated laminitis episodes, sudden weight changes, or signs of **metabolic syndrome**. The same applies if you suspect **PPID**, because that condition can affect feeding decisions and ongoing care.

Professional input is especially important when you are trying to balance safe feeding with weight loss, muscle maintenance, or poor condition. A nutrition specialist can help you understand forage analysis, choose the right horse feed, and build a ration that takes into account the pony's diagnosis while still meeting nutritional needs.

If you are unsure whether a feed is safe, do not wait for the problem to show up in the hoof. Seek advice early, review the full diet, and treat feeding as part of the overall laminitis plan rather than an afterthought.

FAQ

What is the safest horse feed for a laminitic pony?

The safest horse feed is usually a feed low in sugar or low starch feed based on high fibre feed principles. Look for easily digested fibre, low analytical constituents for sugar and starch, and a ration that can be paired with suitable forage. In many cases, a balancer plus forage is safer than a rich mix.

Should a laminitic pony be fed a complete horse feed?

Yes, but only if the complete horse feed is genuinely low in starch and sugar and suitable for laminitis management. Some complete feeds are appropriately balanced, while others are too rich. Always check the feed label and consider the pony's body condition and medical history.

What ingredients should laminitic ponies stay away from in horse feed?

Laminitic ponies should steer clear of molasses, cereal grains, and high-starch feeds wherever possible. Conditioned horse feed products can also be a poor choice if they are designed for weight gain or extra energy. The goal is to keep sugar and starch low.

How do I follow a horse feeding chart for a laminitic pony?

Use the horse feeding chart as a guide, not a final prescription. Check the recommended daily ration, compare it with your pony's bodyweight and forage intake, and reduce anything that seems too rich. For laminitis, the safest feed chart choice is usually the smallest effective amount.

How much should a laminitic pony eat each day?

That depends on bodyweight, body condition score, work level, and forage quality. Many laminitic ponies do best on a forage-led plan with carefully measured bucket feed, if any is needed. For the exact amount, use forage analysis, a horse feed calculator UK tool, and veterinary or nutrition guidance.